


# INTRODUCTION

## 1200x1200mm

We bring you a grand collection of tiles that are available in various sizes. These tiles are designed to create grand urban spaces with their incredible designs and exceptional styles. The  $1200 \times 1200 \, \text{mm}$  slabs give a

delightful ambience to a space with its aesthetically rich design options. This size fits well with all kinds of indoor and outdoor spaces as it is compact yet large enough to give a feel of grandeur to a place

# ONE LOCATION, VARIED SIZE OPTIONS.





# FINISHES + SIZE



HIGH GLOSS



#### **IDEAL FORMAT**

Our slabs provide the ideal size that can be installed in all types of big and small places. These tiles are designed keeping in mind the requirements of moderninterior design style.



#### CUSTOMIZATION


Our slabs are easy to customise making them perfectly fit for different applications and spaces.



#### **EASY INSTALLATION**

We break the myth of large-sized tiles being difficult to install with our mega-sized slabs that are super easy to handle and install.

# 1200x 1200mm





# SLABS THAT CREATE ELEGANT AND COMFORTABLE SPACES

- **♥ Scratch Resistant**
- Resistant to Stains
- **Maximum Resistance to Fire and Heat**
- Resistant to Abrasion
- Resistance to Freezing and Thawing
- Superior Mechanical Resistance
- ♦ Low Water Absorption
- Dimensional Stability

#### **NATURE'S CREATION**

Born from the crest of creation, our tiles reflect the exceptional beauty of nature through their excellent designs that create a glorious ambience for a space.

#### LOW-MAINTENANCE TILES

We offer tiles that provide a chance to create a fully functional and low maintenance space with its various features that create a comfortable lifestyle.

# APPLICATION AREAS

# SLABS WITH DIVERSE APPLICATIONS AND EXCELLENT STYLE

We provide a complete tiling solution with our tiles that are easily applicable to many residential as well as commercial spaces. With the multiple sizes, our tiles fit perfectly with every space. Their diverse designs

create a compelling atmosphere and give a graceful look to a place. These tiles provide an extremely comfortable lifestyle with their low-maintenance quality and ability to various applications.



LIVING ROOM



**BATHROOM** 



KITCHEN



LIBRARY



CORPORATE OFFICE



**ART GALLERY** 





**HOTEL & RESTAURANT** 

# NEVV ARRIVAL


## 1200x1200mm











ARMANI PLATINUM

ARMANI GREY

SARAN COLLINS

**ELEGANCE GREY** 









**ELEGANCE BLACK** 

STATUARIO CARA

EGEO BEIGE

SARAN COLLINS CREMA

ICE ONYX







Finish - **HIGH GLOSS** Random - **6** 



### ARMANI PLATINUM








Finish - **HIGH GLOSS** Random - **5** 

### ARMANI BROWN














Finish - **HIGH GLOSS** Random - **4** 



WALL & FLOOR — ARMANI BROWN, 1200x1200mm

ARMANI GREY





Finish - **HIGH GLOSS** Random - **5** 



## HIGH GLOSS

## **—** 1200x1200mm

### EGEO BEIGE



BRECCIA BLUE











Finish - **HIGH GLOSS** Random - **4** 



Finish - **HIGH GLOSS** Random - **4** 



ROYAL BEIGE









FLOOR — ROYAL BEIGE, 1200x1200mm

## CALACATTA









Finish - **HIGH GLOSS** Random - **8** 

## STATUARIO CARA













WALL & FLOOR — STATUARIO CARA, 1200x1200mm

### ELEGANCE GREY







Finish - **HIGH GLOSS** Random - **5** 



WALL & FLOOR — **ELEGANCE GREY**, 1200x1200mm

### ELEGANCE BLACK







Finish - **HIGH GLOSS** Random - **5** 



WALL — **ELEGANCE BLACK**, 1200x1200mm

### SARAN COLLINS CREMA



SARAN COLLINS













Finish - **HIGH GLOSS** Random - **4** 



## **Technical Specification**

IN	TERNATIONAL STANDARD		
ALLA D. A. G. E. D. G.	ISO13006:2012/EN14411 Group BIa	MEAN VALUE OF OUR TILES	TEST METHOD
Dimension & Surface Quality —			
length	± 0.60 %	± 0.10 %	ISO 10545-2
Thickness	± 5.00 %	± 3.00 %	ISO 10545-2
Straightness in side	± 0.50 %	± 0.10 %	ISO 10545-2
Rectangularity	± 0.50 %	± 0.10 %	ISO 10545-2
Surface flatness	± 0.50 %	± 0.510 %	ISO 10545-2
Surface quality	Declared by Manu.	95~105 %	ISO 2813(Gloss Meter)
Glossiness (only Polished Products)	Min. 95% Tile Should Be Free From Defects	Min. 98% Tile Should Be Free From Defects	ISO 10545-2
Physical Characteristics —————			
Water absorption	E ≤ 0.5 %	E ≤ 0.5 %	ISO 10545-3
MOH'S hardness	≤ 6	≤ 6	ISO 10545-3
Moisture expansion	Nil	Nil	ISO 10545-10
Abrasion resistance	Declared by Manu.	Pei 3~5 (Declared on product)	ISO 10545-7
Mechanical Characteristics —————			
Flexural strength(MOR)	$\geq$ 35N/mm <sup>2</sup> (350kg/cm <sup>2</sup> )	≥ 37N/mm² (370kg/cm²)	ISO 10545-4
Breaking strength	1300 Newton	2000 Newton	ISO 10545-4
Impact resistance	Declared by Manu.	No indentation or cracking	ISO 10545-5
Safety Characteristics ——————			
Skid resistance(Dynamic Friction Coefficie	ent) ≥ 0.4	≥ 0.4	ISO 10545-17
Density	≥ 2.0 gm/cc	≥ 2.3 gm/cc	DIN 51082
Thermo Photo Characteristics —————			
Thermal shock resistance	Resistant to 10 cycles	Pass Min. 10 cycles	ISO 10545-9
Frost resistance	Frost Proof	Need to comply with the standard	ISO 10545-12
Coefficient of Linear thermal Expansion	9x10 <sup>-6</sup> K-1	<5.86x10 <sup>-6</sup> K-1	ISO 10545-8
Color resistance to UV light	Resistant	Resistant	ISO 10545-16
Chemical Characteristics —————			
Chemical resistance: House Hold Chemicals & Swimming Pool Salts	Min. Class - GB	Confirm to Classes - GA	ISO 10545-13
Chemical resistance: Low Concentrations Acids & Alkalis	Min. Class - GIB	Confirm to Classes - GIA	ISO 10545-13
Chemical resistance: High Concentrations Acids & Alkalis	Min. Class - GHB	Confirm to Classes - GHA	ISO 10545-13
Stain resistance	Min. Class - 3	Min. Confirm to Class - 4	ISO 10545-14

## **Packing Details**

DIMENSION(MM)	1200x1200mm
SLAB / BOX	2 pcs
COVERAGE AREA / BOX	2.88 sq. mtr.
WEIGHT / BOX (APPROX)	60 kg