- 2024 Collection Vol. 03



NOT JUST AN ORDINARY TILE, TOUCH AND FEEL THE ULTIMATE SURFACE.








INTRODUCTION

1200x1800mm

Our brings a grand collection of tiles that are available in various sizes. These tiles are designed to create grand urban spaces with their incredible designs and exceptional styles. The 1200x1800mm slabs by Our

create the best experience when it comes to the decor of a space. Its mighty size and various design options let you customize every surface of a place and create an interior that you have always dreamed about!

ONE LOCATION, VARIED SIZE OPTIONS.





FINISHES + SIZE + APPLICATION AREAS





TEFLO SURFACE



SUPER WHITE POLISHED



POLISHED



CAFE

HIGH GLOSS





GRANO SURFACE



LARGE FORMAT

The grand size of Our slabs creates luxurious and spacious decor for all kinds of residential and commercial places. With these big-sized tiles, the grout lines decrease in the space giving it a clean and seamless look.



LUX SURFACE



LUX CARVING



MATT



CUSTOMIZATION

The slabs by Our are easy to customise making them perfectly fit for different applications and spaces.




EASY INSTALLATION

Our breaks the myth of large-sized tiles being difficult to install with its mega-sized slabs that are super easy to handle and install.

SLABS WITH DIVERSE APPLICATIONS AND EXCELLENT STYLE

The 1200x1800mm slabs by Our create a grand and luxurious view for a space with an incredible appeal. With their grand size, they can be applied in many places like kitchen tops, tabletops, furniture, floors, walls, bathtubs and much more. Their grand size also provides a clean and spacious look to the place as the number of grout lines decreases. Our offers the ultimate tiling solutions with its tiles.





SLABS THAT CREATE ELEGANT AND COMFORTABLE SPACES

- Highly UV Resistant
- **♥ Scratch Resistant**
- Resistant to Stains
- Maximum Resistance to Fire and Heat
- Resistant to Abrasion
- Resistance to Freezing and Thawing
- Superior Mechanical Resistance
- ♦ Low Water Absorption
- <>> Dimensional Stability
- **⋄** Fireproof Material

NATURE'S CREATION

Born for the crest of creation, the tiles by Our reflect the exceptional beauty of nature through their excellent designs that create a glorious ambience for a space.

LOW-MAINTENANCE TILES

Our offers tiles that provide a chance to create a fully functional and low maintenance space with its various features that create a comfortable lifestyle.

NEVV ARRIVAL



NEVV ARRIVAL



AFYON WHITE





Finish - SUPER WHITE POLISHED Endless - 3



CALACATTA RARE






Finish - SUPER WHITE POLISHED Random - 3



SUB LIME






Finish - SUPER WHITE POLISHED Endless - 3



PERSIAN WHITE



Finish - SUPER WHITE POLISHED Endless - 4



CALACATTA






Finish - SUPER WHITE POLISHED Endless - 4



DOLOMITI





Finish - SUPER WHITE POLISHED Endless - 3



STATUARIO CARA





Finish - **SUPER WHITE POLISHED** Random - **5**



EGEO BEIGE





Finish - **POLISHED** Endless - **3**



ELEGANCE GREY





Finish - **POLISHED** Endless - **3**



WALL & FLOOR - ELEGANCE GREY, 1200x1800mm

MICHEL ANGELO





Finish - **POLISHED** Endless - **3**



MORROCO





Finish - **POLISHED** Endless - **3**



OLMPIYA BEIGE





Finish - **POLISHED** Endless - **3**



SOFITA BEIGE





Finish - **POLISHED** Endless - **3**



ARMANI GREY





Finish - **POLISHED** Endless - **3**




CHIFFON GREY





Finish - **POLISHED** Endless - **3**



LIMAR GREY





Finish - **POLISHED** Endless - **3**



NUVO ONYX GREY






Finish - **POLISHED** Endless - **3**



ONYX BIANCO






Finish - **POLISHED** Endless - **3**



PORTOFINO GREY





Finish - **POLISHED** Endless - **3**



MOJAVE





Finish - **POLISHED** Endless - **3**



QUIRI WHITE





Finish - **POLISHED** Endless - **3**



ANTICO CREMA





Finish - **POLISHED** Endless - **3**



SAHARA BEIGE





Finish - **POLISHED** Endless - **3**



BRECCIA SUPREME





Finish - **POLISHED** Endless - **3**



ASPEN NATURAL





Finish - **HIGH GLOSS** Random - **3**



NAIROBI BLUE





Finish - **HIGH GLOSS** Endless - **3**



ELEGANCE BLACK







Finish - **HIGH GLOSS** Endless - **3**



WALL & FLOOR - ELEGANCE BLACK, 1200x1800mm

OLMPIYA





Finish - **HIGH GLOSS** Endless - **3**



CORAL GREY





Finish - **HIGH GLOSS** Endless - **3**



WALL & FURNITURE - CORAL GREY, 1200x1800mm









AFYON WHITE





Finish - LUX SURFACE Endless - 3












CHIFFON GREY





Finish - LUX SURFACE Endless - 3











EGEO BEIGE





Finish - LUX SURFACE Endless - 3













MORROCO





Finish - LUX SURFACE Endless - 3













OLMPIYA BEIGE





Finish - LUX SURFACE Endless - 3











QUIRI WHITE





Finish - LUX SURFACE Endless - 3













SOFITA BEIGE





Finish - LUX SURFACE Endless - 3














ARMANI GREY





Finish - LUX SURFACE Endless - 3











CALACATTA GOLD





Finish - LUX SURFACE Endless - 3













CALACATTA





Finish - LUX SURFACE Endless - 4













ELEGANCE GREY





Finish - LUX SURFACE Endless - 3











MARFIL GRIS





Finish - LUX SURFACE Endless - 3











REAL MARBLE FEEL

ELEGANCE BLACK







Finish - LUX SURFACE Endless - 3














STATUARIO CARA





Finish - LUX SURFACE Random - 5











SAHARA BEIGE





Finish - LUX SURFACE Endless - 3











EGEO GREY





Finish - LUX CARVING Endless - 3

















Finish - LUX CARVING Endless - 3













NUVO ONYX GREY





Finish - LUX CARVING Endless - 3











MICHEL ANGELO





Finish - LUX CARVING Endless - 3



IMPERIAL BEIGE





Finish - **MATT** Endless - **3**



IMPERIAL BIANCO




Finish - **MATT** Endless - **3**



IMPERIAL GREY






Finish - **MATT** Endless - **3**



CARRARA GRACE





Finish - **TEFLO SURFACE** Endless - **3**





DIVINE NEUTRAL






Finish - **TEFLO SURFACE** Endless - **3**





GLAM TAUPE






Finish - **TEFLO SURFACE** Endless - **3**





NAPLES BEIGE






Finish - **TEFLO SURFACE** Endless - **3**





NEBULA LIGHT TAUPE





Finish - **TEFLO SURFACE** Endless - **3**





1200x MARE **1800**mm

MARBLE TECH

ONYX GLOW






Finish - **TEFLO SURFACE** Endless - **3**





ONYX SOFT







Finish - **TEFLO SURFACE** Endless - **3**





SAHARA BIANCO





Finish - **TEFLO SURFACE** Endless - **3**





NEUTRA s e r i e s

COLD GREY





Finish - **GRANO SURFACE** Endless - **3**









EXPRESSO





Finish - **GRANO SURFACE** Endless - **3**





NEUTRA s e r i e s

WARM GREY





Finish - **GRANO SURFACE** Endless - **3**






NEUTRA s e r i e s

DARK TAUPE





Finish - **GRANO SURFACE** Endless - **3**





1200X **1800**mm



PANNONI ANTHRACITE





Finish - **GRANO SURFACE** Endless- **3**







PANNONI DARK GREY





Finish - **GRANO SURFACE** Endless - **3**







PANNONI GREY





Finish - **GRANO SURFACE** Endless - **3**





1200x **1800**mm



PANNONI GREIGE





Finish - **GRANO SURFACE** Endless - **3**






1200x **1800**mm



PANNONI IVORY





Finish - **GRANO SURFACE** Endless - **3**





1200x **1800**mm

Forever Series

FOREVER AVARIO





Finish - **GRANO SURFACE** Random - **3**





FOREVER BINACO





Finish - **GRANO SURFACE** Random - **3**





FOREVER GRIGIO






Finish - **GRANO SURFACE** Random - **3**





FOREVER WHITE





Finish - **GRANO SURFACE** Random - **3**





FOREVER OLIVE





Finish - **GRANO SURFACE** Random - **3**





FOREVER NERO





Finish - **GRANO SURFACE** Random - **3**





TECHNICAL SPECIFICATIONS





Sr. No.	Characteristics	International Std. ISO 13006 Group Bla	Specifications of OUR GVT/PGVT	Method Of Testing
Dim	ensions & Surface Quality			
1	Lenght	±0.30%	±0.10%	ISO 10545-2
2	Thickness	±5.00%	±5.00%	ISO 10545-2
3	Straightness of Sides	±0.30%	±0.10%	ISO 10545-2
4	Rectangularity	±0.30%	±0.10%	ISO 10545-2
5	Surface Flatness	±0.40%	±0.10%	ISO 10545-2
6	Glossiness	Declared By Manufacturer	PGVT: 92~100%, GVT: 10~30%	ISO 2813 (Gloss meter)
7	Surface quality	Min. 95% Tiles Should Be Free From Defects	Min. 95% Tiles Free From Defects	ISO 10545-2
Phy	sical Characteristics			
8	Water Absorption	E ≤0.50%	≤0.08%	ISO 10545-3
9	MOH's Hardness	≥5.00	≥5.00	IS 13630-13
10	Moisture Expansion	Nil	Nil	ISO 10545-10
11	Abrasion Resistance	Declared By Manufacturer	PEI 3~5 (Depend On Product)	ISO 10545-7
Me	chanical Characteristics			
12	Flexural Strength (MOR)	≥35 N/mm² (350 Kg/cm²)	≥38 N/mm² (380 Kg/cm²) Test Piece Size 600x600mm	ISO 10545-4
13	Breaking Strength	1300 Newton	1800 Newton Test Piece Size 600x600mm	ISO 10545-4
14	Impact Resistance	Declared By Manufacturer	No Indentation Or Cracking	ISO 10545-5
Saf	ety Characteristics			
15	Skid Resistance (Dynamic Friction Coefficient)	≥0.40	≥0.40	ISO 10545-17
16	Density	≥2.0 gm/cc	>2.3 gm/cc	DIN 51082
The	rmo Photo Characteristics			
17	Thermal Shock Resistance	Resistant To 10 Cycles	Pass Min. 10 Cycles	ISO 10545-9
18	Crazing Resistance	In conformity with the Norms	Passed Min. 4 Cycles at 7.5 kg/cm²/168° C	ISO 10545-11
19	Frost Resistance	Frost Proof	Need to Comply with The Standard	ISO 10545-12
20	Coefficient of linear Thermal Expansion	9x10 ⁻⁶ K ⁻¹	<5.86x10 ⁻⁶ K ⁻¹	ISO 10545-8
21	Colour Resistance to UV light	Resistant	Resistant	ISO 10545-16
Che	mical Characteristics			
22	Chemical Resistance Household Chemicals & Swimming Pool Salts	Min. Class-GB	Confirm To Classes-GA	ISO 10545-13
23	Chemical Resistance Low Concentrations Acids & Alkalis	Min. Class-GLB	Confirm To Classes-GLA	ISO 10545-13
24	Chemical Resistance High Concentrations Acids & Alkalis	Min. Class-GHB	Confirm To Classes-GHA	ISO 10545-13
25	Stain Resistance	Min. Class-3	Min. Confirm To Class-3	ISO 10545-14

Packing Details

DIMENSION(MM)	1200x1800mm
SLAB / BOX	2 pc
COVERAGE AREA / BOX	4.32 sq. mtr.
WEIGHT / BOX (APPROX)	90 kg

TECHNICAL SPECIFICATIONS

Sr. No.	Characteristics	International Std. ISO 13006 Group Bla	Specifications of Our GVT	Method Of Testing	
Dim	Dimensions & Surface Quality				
1	Lenght	±0.30%	±0.10%	ISO 10545-2	
2	Thickness	±5.00%	±5.00%	ISO 10545-2	
3	Straightness of Sides	±0.30%	±0.10%	ISO 10545-2	
4	Rectangularity	±0.30%	±0.10%	ISO 10545-2	
5	Surface Flatness	±0.40%	±0.10%	ISO 10545-2	
6	Glossiness	Declared By Manufacturer	8~15%	ISO 2813 (Gloss meter)	
7	Surface quality	Min. 95% Tiles Should Be Free From Defects	Min. 95% Tiles Free From Defects	ISO 10545-2	
Phy	sical Characteristics				
8	Water Absorption	E ≤0.50%	≤0.08%	ISO 10545-3	
9	MOH's Hardness	≥5.00	≥5.00	IS 13630-13	
10	Moisture Expansion	Nil	Nil	ISO 10545-10	
11	Abrasion Resistance	Declared By Manufacturer	PEI 4	ISO 10545-7	
Me	chanical Characteristics				
12	Flexural Strength (MOR)	≥35 N/mm² (350 Kg/cm²)	≥38 N/mm² (380 Kg/cm²) Test Piece Size 600x600mm	ISO 10545-4	
13	Breaking Strength	1300 Newton	1800 Newton Test Piece Size 600x600mm	ISO 10545-4	
14	Impact Resistance	Declared By Manufacturer	No Indentation Or Cracking	ISO 10545-5	
Saf	ety Characteristics				
15	Skid Resistance (Dynamic Friction Coefficient)	≥0.40	≥0.45	ISO 10545-17	
16	Density	≥2.0 gm/cc	>2.3 gm/cc	DIN 51082	
The	rmo Photo Characteristics				
17	Thermal Shock Resistance	Resistant To 10 Cycles	Pass Min. 10 Cycles	ISO 10545-9	
18	Frost Resistance	Frost Proof	Need to Comply with The Standard	ISO 10545-12	
19	Coefficient of linear Thermal Expansion	9x10 ⁻⁶ K ⁻¹	<5.86x10 ⁻⁶ K ⁻¹	ISO 10545-8	
20	Colour Resistance to UV light	Resistant	Resistant	ISO 10545-16	
Che	mical Characteristics				
21	Chemical Resistance Household Chemicals & Swimming Pool Salts	Min. Class-GB	Confirm To Classes-GA	ISO 10545-13	
22	Chemical Resistance Low Concentrations Acids & Alkalis	Min. Class-GLB	Confirm To Classes-GLA	ISO 10545-13	
23	Chemical Resistance High Concentrations Acids & Alkalis	Min. Class-GHB	Confirm To Classes-GHA	ISO 10545-13	
24	Stain Resistance	Min. Class-3	Min. Confirm To Class-3	ISO 10545-14	



Packing Details

DIMENSION(MM)	1200x1800mm
SLAB / BOX	2 pc
COVERAGE AREA / BOX	4.32 sq. mtr.
WEIGHT / BOX (APPROX)	90 kg

TECHNICAL SPECIFICATIONS



Sr. No.	Characteristics	International Std. ISO 13006 Group Bla	Specifications of Our GVT/PGVT	Method Of Testing
Dim	ensions & Surface Quality			
1	Lenght	±0.30%	±0.10%	ISO 10545-2
2	Thickness	±5.00%	±5.00%	ISO 10545-2
3	Straightness of Sides	±0.30%	±0.10%	ISO 10545-2
4	Rectangularity	±0.30%	±0.10%	ISO 10545-2
5	Surface Flatness	±0.40%	±0.10%	ISO 10545-2
6	Glossiness	Declared By Manufacturer	12~18%	ISO 2813 (Gloss meter)
7	Surface quality	Min. 95% Tiles Should Be Free From Defects	Min. 95% Tiles Free From Defects	ISO 10545-2
Phy	sical Characteristics			
8	Water Absorption	E ≤0.50%	≤0.08%	ISO 10545-3
9	MOH's Hardness	≥5.00	≥5.00	IS 13630-13
10	Moisture Expansion	Nil	Nil	ISO 10545-10
11	Abrasion Resistance	Declared By Manufacturer	PEI 5	ISO 10545-7
Med	chanical Characteristics			
12	Flexural Strength (MOR)	≥35 N/mm² (350 Kg/cm²)	≥38 N/mm² (380 Kg/cm²) Test Piece Size 600x600mm	ISO 10545-4
13	Breaking Strength	1300 Newton	1800 Newton Test Piece Size 600x600mm	ISO 10545-4
14	Impact Resistance	Declared By Manufacturer	No Indentation Or Cracking	ISO 10545-5
Safe	ety Characteristics			
15	Skid Resistance (Dynamic Friction Coefficient)	≥0.40	≥0.45	ISO 10545-17
16	Density	≥2.0 gm/cc	>2.3 gm/cc	DIN 51082
The	rmo Photo Characteristics			
17	Thermal Shock Resistance	Resistant To 10 Cycles	Pass Min. 10 Cycles	ISO 10545-9
18	Frost Resistance	Frost Proof	Need to Comply with The Standard	ISO 10545-12
19	Coefficient of linear Thermal Expansion	9x10 ⁻⁶ K ⁻¹	<5.86×10 ⁻⁶ K ⁻¹	ISO 10545-8
20	Colour Resistance to UV light	Resistant	Resistant	ISO 10545-16
Che	mical Characteristics			
21	Chemical Resistance Household Chemicals & Swimming Pool Salts	Min. Class-GB	Confirm To Classes-GA	ISO 10545-13
22	Chemical Resistance Low Concentrations Acids & Alkalis	Min. Class-GLB	Confirm To Classes-GLA	ISO 10545-13
23	Chemical Resistance High Concentrations Acids & Alkalis	Min. Class-GHB	Confirm To Classes-GHA	ISO 10545-13
24	Stain Resistance	Min. Class-3	Min. Confirm To Class-3	ISO 10545-14

Packing Details

DIMENSION(MM)	1200x1800mm
SLAB / BOX	2 pc
COVERAGE AREA / BOX	4.32 sq. mtr.
WEIGHT / BOX (APPROX)	90 kg

